

i.n.m. MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL NAME: Methacrylate Polymer
PRODUCT NAME: N.O.P. Odorless Pink Acrylic Nail Polymer
TRADE NAME/PRODUCT CODE: INMNOPPP
PRODUCT USE: Organic Process Chemical
MANUFACTURER: International Nail Manufacturers (inm)
Division of Nail Cartel, Inc.
ADDRESS: 1221 N. Lakeview Ave.
Anaheim, CA 92807
24 HR. EMERGENCY TELEPHONE: INFOTRAK: 1-800-535-5053
OTHER CALLS: 1-800-541-3898
PREPARED BY: Steven Tate, Production Manager
1-714-779-9892
MSDA DATE: 07/15/03

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

FOR POLYMER:

ITEM	CHEMICAL NAME	CAS NUMBER:	WT/WT %
01	Particulates Not Otherwise Classified	NE	60.0-100.0
02	Residual Monomers	NA	0.5-5.0
03	Methacrylate Polymer	9003-42-3	60.0-100.0
04	Organic Peroxide	NE	0.5-1.5
05	Trade Secret	NA	1.0-5.0
06	Titanium Dioxide (CI 77891)	13463-67-7	0.5-1.5
07	Red 30 Lake (CI 73360)	2379-74-1	0.5-1.5
08	Iron Oxide (CI 77491)	NE	0.5-1.5

ITEM	ACGIH		OSHA		Company Recommendation	SKIN
	TLV-TWA	TLV-STEL	PEL TWA	PEL CEILING		
01	10 mg/m ³	NE	15 mg/m ³	NE	10 mg/m ³	NE
02	NA	NA	NA	NA	NA	NA
03	10 mg/m ³	NE	15 mg/m ³	NE	10 mg/m ³	NE
04	NE	NE	NE	NE	NE	NE

05	NE	NE	NE	NE	NE	NE
06	10 mg/m ³	NE	15 mg/m ³	NE	10 mg/m ³	NE
07	10 mg/m ³	NE	15 mg/m ³	NE	10 mg/m ³	NE
08	10 mg/m ³	NE	15 mg/m ³	NE	10 mg/m ³	NE

i.n.m. N.O.P. Pink Powder

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS CONTINUED

FOR DECOMPOSITION PRODUCTS:

ITEM	CHEMICAL NAME	CAS NUMBER:	WT/WT %
09	Ethyl Methacrylate Monomer	97-63-2	60.0-100.0

ITEM	ACGIH		OSHA		Company	SKIN
	TLV-TWA	TLV-STEL	PEL TWA	PEL CEILING	Recommendation	
09	100 ppm	NE	100 ppm	NE	100 ppm	NE

See Section 16 for Abbreviations.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

WARNING:	For Polymer:	May irritate eyes, skin and respiratory tract.
	For Methacrylate Polymer:	OSHA classifies this material as Particulates, Not Otherwise Classified.
	Eyes:	May be irritated by gross overexposure, no matter how generated. Keep dust out of eyes.
	Skin	May be irritated by gross overexposure, no matter how generated. May cause dryness.
	Respiratory Tract	May be irritated by gross overexposure, no matter how generated.
	For Organic Peroxide:	Eyes: May be severely irritating.
	Ingestion:	No more than slightly toxic, if swallowed.
	Inhalation:	May cause respiratory irritation, practically non-toxic
	Skin:	Should be non-irritating, but may cause allergic skin reaction.
	For Trade Secret:	
	Acute Hazards:	Eyes: Possible irritating.
		Inhalation: No hazard expected in normal use.
		Respiratory Tract: May cause temporary discomfort due to mechanical irritation when exposures are above the occupational exposure limit.
		Skin: May cause drying.
	Conditions Aggravated by Exposure:	Conjunctivitis of the eye. Dermatitis of the skin. Asthma and Respiratory Diseases.
	For Titanium Dioxide:	Eyes: May cause irritation as an inert foreign body.
		Skin: May cause drying effect, although non-corrosive, non-irritating and non-sensitizing.
		Inhalation: May cause temporary drying effect or irritation of mucus membranes.
		Ingestion: Harmless, physiologically inert, no hazard in normal industrial use.

i.n.m. N.O.P. Pink Powder

SECTION 3 - HAZARDS IDENTIFICATION CONTINUED

For Red 30 Lake:

Acute Hazards:	Eye:	Irritation not expected, high concentrations may cause mechanical irritation.
	Ingestion:	No adverse effects known, believed to be practically non-toxic.
	Inhalation:	Not expected to be a hazard. Excessive levels of dust may result in discomfort at repeated or prolonged exposures.
	Skin:	Irritation not expected. No evidence of harmful effects from available information.
Chronic Hazards:		No known published data available on adverse effects.

For Iron Oxide:

Acute Hazards:	Eyes:	May cause foreign body irritation.
	Ingestion:	May cause nausea or metallic taste in mouth.
	Inhalation:	May cause mild irritation to the Respiratory Tract.
	Skin:	Not absorbed by the body.
Chronic Hazards:	Inhalation:	Long term exposure to silica cause silicosis, a form of pulmonary fibrosis. Continued exposure to silica can lead to cardiopulmonary impairment.
Conditions Aggravated by Exposure:		Persons with preexisting eye or skin conditions or impaired pulmonary function by be more susceptible to the effects of this product.

For Decomposition Products:

Ethyl Methacrylate Monomer:

Acute Hazards:	Eyes:	Eye contact may cause irritation with discomfort, tearing, or blurring of vision.
	Respiratory Tract:	Inhalation may cause irritation of the respiratory tract with coughing, of nonspecific discomfort, such as nausea, headache and or weakness.
	Skin:	Effects in humans include skin irritation with discomfort or allergic skin rashes.
	Digestive Tract:	Ingestion may cause anesthetic effects such as dizziness, headache, confusion, incoordination, and loss of consciousness
	Symptoms:	May include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting.
Chronic Hazards:	Skin:	May cause allergic skin rashes.
	Animal Studies:	Administered lethal oral doses include weakness, labored and irregular respiration, drop in arterial blood pressure and coma.

CARCINOGENICITY:

Iron Oxide contains more than 0.1% crystalline silica and is considered to be a carcinogen by IARC. IARC and NIOSH lists Titanium Dioxide as not classifiable as to carcinogenicity to humans. Benzoyl Peroxide, a component of the Organic Peroxide, is listed by IARC as not classifiable as to carcinogenicity to humans. None of the other components of this material are listed by IARC, NTP, OSHA, or ACGIH as carcinogens.

PRIMARY ROUTES OF ENTRY:

Inhalation, Skin or Eyes.

i.n.m. N.O.P. Pink Powder

SECTION 4 - FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: Remove to fresh air. Get medical help if discomfort persists.
EYES: Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
SKIN: Wash with soap and water. Get medical help if discomfort persists.
INGESTION: Rinse mouth out with water. Call doctor if amount was large.
CLOTHING: Wash thoroughly before reuse.
TREATMENT: Treat symptoms after thorough decontamination.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: 304 °C, 580 °F
FLAMMABLE LIMIT, AIR VOL% LOWER: NA
UPPER: NA
AUTOIGNITION TEMPERATURE: NE
EXTINGUISHER METHOD: Water, carbon dioxide, dry chemical.
FIRE AND EXPLOSION HAZARDS: Methacrylate Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.
SPECIAL FIRE FIGHTING PROCEDURES: Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust into air, producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.
EXPLOSION HAZARD:
SENSITIVE TO MECHANICAL IMPACT: No.
SENSITIVE TO STATIC DISCHARGE: No.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE: Isolate hazard area and deny entry to unnecessary or unprotected personnel. Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.

SECTION 7- HANDLING AND STORAGE

PRECAUTIONS FOR HANDLING: Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping.
PRECAUTIONS FOR STORAGE: Store in cool dry place away for incompatible materials. Keep container closed to prevent water absorption and contamination.

i.n.m. N.O.P. Pink Powder

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

VENTILATION:	Use good, local exhaust at processing equipment, including buffers, sanders, grinders and polishers.
RESPIRATORY PROTECTION:	Use type for Particulates Not Otherwise Classified, if needed.
EYE PROTECTION:	Safety glasses or chemical splash goggles.
PROTECTIVE GLOVES:	Impervious.
OTHER PROTECTIVE EQUIPMENT:	Provide eyewash, safety shower and impervious clothing are recommended. High temperature processing equipment should be well ventilated.
INDUSTRIAL HYGIENE PRACTICES:	Wash face and hands thoroughly with soap and water after use and before eating, drinking, smoking or applying cosmetics.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Fine pink powder.
ODOR:	Faint odor in bulk.
pH:	ND
ODOR THRESHOLD:	ND
BOILING POINT:	NA
FREEZING POINT:	ND
VISCOSITY:	NA
SPECIFIC GRAVITY (H₂O=1):	1.25
VAPOR PRESSURE:	NA
PERCENT VOLATILE W/W%:	NA
VAPOR DENSITY (AIR=1):	NA
EVAPORATION RATE (BuAc =1):	3.0
SOLUBILITY IN WATER:	Insoluble.
COEFFICIENT OF WATER/OIL DISTRIBUTION:	ND

SECTION 10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID:	Heating above 240 °C, 464 °F.		
INCOMPATIBILITY (MATERIALS TO AVOID):	Strong oxidizing agents.		
HAZARDOUS DECOMPOSITION PRODUCTS:	Methacrylate Monomer and Oxides of Carbon when burned.		
HAZARDOUS POLYMERIZATION:	MAY OCCUR:	WILL NOT OCCUR:	X
STABILITY:	UNSTABLE:	STABLE:	X

i.n.m. N.O.P. Pink Powder

SECTION 11- TOXICOLOGICAL PROPERTIES

TARGET ORGANS:

For Methacrylate Polymer;	None Listed.
For Organic Peroxide:	None Listed.
For Organic Peroxide Components:	
Dicalcium Phosphate:	None Listed.
Benzoyl Peroxide:	Skin and eyes.
For Trade Secret:	None Listed.
For Titanium Dioxide:	None Listed.
For Red 30 Lake:	None Listed.
For Iron Oxide:	None Listed.

For Decomposition Products:	
Ethyl Methacrylate Monomer:	None Listed.

SENSITIVITY DATA:

For Organic Peroxide:	None Listed.
For Organic Peroxide Components:	
Dicalcium Phosphate:	
Eyes Rabbit:	Slightly irritating/4H.
Skin Rabbit:	Non-irritating.
Benzoyl Peroxide:	
Eyes Rabbit:	Severely irritating.
Skin Rabbit:	Non-irritating/4H.
For Iron Oxide:	
Eye Rabbit:	Non-irritating.
Skin Rabbit:	Non-irritating/24H.

MUTAGENICITY DATA:

For Methacrylate Polymer:	None Listed.
For Organic Peroxide:	None Listed.
Benzoyl Peroxide:	
Human Cell Types	DNA Damage: 100 µ mol/L.
Mouse Cell Types	DNA Damage: 1 µ mol/L.
Human Cell types	DNA Inhibition: 56 µ mol/L.
Rat Liver	Unscheduled DNA Synthesis: 100 p mol/L.
Human Cell Types	Test Systems Other: 56 µ mol/L.
For Red 30 Lake:	None Known.

For Decomposition Products:	
Ethyl Methacrylate Monomer:	None Listed.

REPRODUCTIVE TOXICITY DATA:

For Methacrylate Polymer:	None Listed.
For Decomposition Products:	None Listed.
Ethyl Methacrylate Monomer:	
Intraperitoneal Rat	TD _{Lo} : 735 mg/kg, 5-15D preg.
Intraperitoneal Rat	TD _{Lo} : 366 mg/kg, 5-15D preg.

i.n.m. N.O.P. Pink Powder

SECTION 11- TOXICOLOGICAL PROPERTIES CONTINUED

TUMOROGENIC DATA:

For Methacrylate Polymer:	None Listed.
For Organic Peroxide:	None Listed.
For Organic Peroxide Components:	
Benzoyl Peroxide:	
Skin Mouse	TD _{Lo} : 24 gm/kg/30W.
For Titanium Dioxide:	
Inhalation Rat	TC _{Lo} : 250 mg/m ³ /6H/2Y
Intramuscular Rat	TD _{Lo} : 360 mg/kg/2Y.
Intramuscular Rat	TD: 260 mg/kg/84W.

TOXICITY DATA:

For Methacrylate Polymer:	None Listed.
For Organic Peroxide:	None Listed.
For Organic Peroxide Components:	
Dicalcium Phosphate:	
Ingestion Rat	LD ₅₀ : >4640 mg/kg.
Skin Rabbit	LD ₅₀ : >7940 mg/kg.
Benzoyl Peroxide:	
Inhalation Rat	LC ₅₀ : 24.3 mg/L/4hr.
Intraperitoneal Mouse	LD _{Lo} : 250 mg/kg.
Oral Rat	LD ₅₀ : 7710 mg/kg.
Dichlorodimethyl Silane:	
Ingestion Rat	LD ₅₀ : >5000 mg/kg.
For Trade Secret:	
Oral Rat:	LD ₅₀ : >5000 mg/kg.
For Titanium Dioxide:	
Oral Rat	LD ₅₀ : 9000 mg/kg.
For Red 30 Lake:	None Listed.
For Iron Oxide:	
Oral Rat	LD ₅₀ : > 5000 mg/kg
For Decomposition Products:	
Ethyl Methacrylate Monomer:	
Inhalation Rat	LC ₅₀ : 8300 ppm/4H.
Intraperitoneal Mouse	LD ₅₀ : 1369 mg/kg.
Intraperitoneal Rat	LD ₅₀ : 1223 mg/kg.
Oral Mouse	LD ₅₀ : 7836 mg/kg.
Oral Rat	LD ₅₀ : 14800 mg/kg.
Oral Rabbit	LD ₅₀ : 3630 mg/kg.
Subcutaneous Rat	LD _{Lo} : 25 gm/kg.

i.n.m. N.O.P. Pink Powder

SECTION 12 - ECOLOGICAL INFORMATION

AQUATIC TOXICITY:

For Methacrylate Polymer:	None Listed.
For Iron Oxide:	
Golden Orfe	LC ₅₀ : > 1000 mg/L
For Decomposition Products:	
Ethyl Methacrylate Monomer:	None Listed.

ECOLOGICAL TOXICITY:

For Methacrylate Polymer:	Not Known.
For Organic Peroxide:	None Listed.
For Organic Peroxide Components:	
Benzoyl Peroxide:	
Guppies	LC ₅₀ : 2.0 mg/L/96H.
Daphnia Magna	EC ₅₀ : 2.9 mg/L/48H.
Algae	EC ₅₀ : 0.83 mg/L/72H.
Activated Sludge	EC ₅₀ : 35 mg/L.
For Titanium Dioxide:	Not Known.
For Red 30 Lake:	No Data Available.

ENVIRONMENT FATE:

For Organic Peroxide:	None Listed.
For Organic Peroxide Components:	
Benzoyl Peroxide:	Biodegradation: Almost 60% after 28 days in a closed bottle test.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose in a landfill or incinerate according to Federal, State, and Local regulations.

DISPOSAL OF EMPTY CONTAINERS: Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual material, associated with empty containers. It is our policy to discourage the reuse of empty containers and to dispose of all empty containers properly, in accordance with Federal, State and Local regulations.

i.n.m. N.O.P. Pink Powder

SECTION 14 - TRANSPORTATION

DOT/UN SHIPPING NAME: SYNTHETIC GUM RESIN GRANULAR, NOIBN
DOT/UN CLASS:
NA/UN NUMBER:
PACKING GROUP:
NAERG:
LABEL:
NMFC ITEM #: 59420
SCHEDULE B: 3906.90.6000
IMDG CLASS:
IMDG PG:
CERCLA RQ: For Decomposition Products:
 Ethyl Methacrylate Monomer: 1000 lb.

SECTION 15 - REGULATORY INFORMATION

ITEM	TSCA	EINECS	AUSTRALIA	CANADA	JAPAN	KOREA
03	X	X				
04	X					
05	X	X	X	X		X
06	X	X				
07	X	X				
08	X					
09	X	X		X		

ITEM	CERCLA	CAA	CWA	RCRA	SARA 313	MAK
04					X	
08					X	
09	X	X		U 118	X	

ITEM	CA65	FL	MA	MI	MN	NJ	PA	WA
06			X		X		X	X
08			X			X	X	
09		X	X			X	X	

TSCA: FOR USE IN FDA REGULATED PRODUCTS ONLY

CANADIAN WHMIS: This product has been classified in accordance with the hazardous criteria of the CPR and the MSDS contains all the information required by the CPR. All of the components of this material are listed on the Canadian DSL.

i.n.m. N.O.P. Pink Powder

SECTION 15 - REGULATORY INFORMATION CONTINUED

RISK STATEMENTS: R36/37/38 – Irritating to eyes, respiratory system and skin.
R43 – May cause sensitization by skin contact

SAFETY STATEMENTS: S3 – Keep in a cool place.
S7 – Keep container tightly closed.
S9 – Keep container in a well ventilated place.
S16 – Keep away from sources of ignition – No Smoking.
S20 – When using do not eat or drink.
S33 – Take precautionary measures against static discharges.
S37/39 – Wear suitable gloves and eye/face protection.

SECTION 16 - OTHER INFORMATION

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS) RATING:

HEALTH:	1
FLAMMABILITY:	1
REACTIVITY:	0
PERSONAL PROTECTIVE EQUIPMENT:	Gloves and Safety Glasses or Chemical Splash Goggles.

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:

HEALTH:	1
FLAMMABILITY:	1
REACTIVITY:	0

ABBREVIATIONS:

NA	Not Applicable	ND	Not Determined
NE	Not Established	CPR	Controlled Products Regulation
ppm	parts per million	G	Gallon
mg	Milligram	L	Liter
gm	Gram	mol	Mole
kg	Kilogram	μ	Micro
mm	Millimeter	p	Pico
Pa	Pascals		
LC	Lethal Concentration	LD	Lethal Dose
TC	Toxic Concentration	TD	Toxic Dose
BOD	Biological Oxygen Demand	COD	Chemical Oxygen Demand
Lo	Lowest	ThOD	Theoretical Oxygen Demand
TLm	Threshold Limit		
H	Hours	M	Months
D	Days	Y	Years
W	Weeks	min	Minutes

i.n.m. N.O.P. Pink Powder

SECTION 16 - OTHER INFORMATION CONTINUED

ABBREVIATIONS CONTINUED:

OSHA Occupational Safety and Health Administration
ACGIH American Conference of Governmental Industrial Hygienist
IARC International Agency for Research for Cancer
TLV Threshold Limit Value
PEL Permissible Exposure Limit
NOEL No Observed Effect Level

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200), THE COMMONWEALTH OF PENNSYLVANIA REGULATIONS (TITLE 34. CHAPTERS 301-323) AND CANADIAN WHMIS REGULATIONS, ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.